



SX-E 2



- ENGINE
- DISPLACEMENT
- RATED OUTPUT
- MAX. TORQUE
- COOLING SYSTEM
- LENGTH / WIDTH / HEIGHT / WEIGHT
///
- SEAT HEIGHT
- GEARBOX
- TANK CAPACITY



FROM
£2,599
+ OTR

SX-E 2 FEATURES

LOW SEAT HEIGHT

Young riders find their feet easily thanks to a 2-level adjustable seat height. In standard configuration, the seat height is 470mm but can easily be increased to 500mm by lifting the bodywork and seat unit and mounting the rear shock in an alternative position. This, along with the ability to lower the front fork in the triple clamp and adjust the heights of the foot-peg carrier, means the rider can grow with the KTM SX-E 2.



LIGHT WEIGHT

Weighing in at 27 kg, the KTM SX-E 2 feels like a real, bigger motorcycle, while still providing easy handling. The combination of weight and agility provides a planted, more secure feeling as the speed builds, and is better suited to bigger, harder bumps. Moreso, at less than 30 kg, the KTM SX E-2 is easily transported to and from riding locations.

CHASSIS

Built tough to last, the KTM SX-E 2 chassis boasts an impressive list of construction materials. The upper triple-clamp, handlebar clamps, footrest carrier, and brake components are made of high-end forged aluminum alloys, while the lower triple clamps and the shaft are crafted from forged chromoly steel. The swingarm and skid plate complete the list, made from HPDC aluminum alloy.





WHEELS AND TYRES

10" wheels on the front and back ensure planted handling on all terrain types. Lightweight, black powder-coated aluminum HPDC rims front and rear provide trouble-free maintenance, while a set of exceptionally well-balanced motocross tires from KENDA provide ample grip.

SX-E 2 FINANCE

Flexible payment options to suit your budget



Finance Options Available

Contact your local dealer for personalized finance options on this SX-E 2.

Call: 01234 567890